
Pressio is a study in doing things backwards. First, we began with the weight that's usually drawn last: the ultra-compressed black. This was squashed down vertically in increments to make the compressed, condensed, and regular widths, then hollowed like a dugout canoe to produce the lighter weights. The narrower bold cuts are inspired by the great mid-century skyline sanses. The widest cuts are stark, idiosyncratic, and intense. In between, 20 styles in five weights and four widths provide a broad range of expression. Forms are strict and modular. The x-height is high. Curves are subtly superelliptical, and square counters add crispness. For those who prefer it, a set of stylistic alternates is available to round some of the unexpectedly sharp corners of letters like S, s, and a. Case-sensitive punctuation and delimiters are included, and a full range of diacritics provides support for over 130 languages. Naturally, it goes well with its sister family, Pressio Stencil.

Pressio N021 Light X-Compressed

Pressio N022 Regular X-Compressed

Pressio N023 Medium X-Compressed

Pressio N024 Bold X-Compressed

Pressio N025 Black X-Compressed

Pressio N031 Light Compressed

Pressio N032 Regular Compressed

Pressio N033 Medium Compressed

Pressio N034 Bold Compressed

Pressio N035 Black Compressed

Pressio N041 Light Condensed

Pressio N042 Regular Condensed

Pressio N043 Medium Condensed

Pressio N044 Bold Condensed

Pressio N045 Black Condensed

Pressio N051 Light

Pressio N052 Regular

Pressio N053 Medium

Pressio N054 Bold

Pressio N055 Black

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS THAT STATES THAT a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid,

34pt

THE OPERATION OF THE PRESS DEPENDS ON
Pascal's Law, a principle in fluid mechanics that
states that a pressure change occurring any-
where in a confined incompressible fluid is
transmitted throughout the fluid such that the

44pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pressure
change occurring anywhere in a con-

64pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S
Law, a principle in fluid mechanics that states that a
pressure change occurring anywhere in a confined

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS THAT STATES THAT a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid,

34pt

THE OPERATION OF THE PRESS DEPENDS ON
Pascal's Law, a principle in fluid mechanics that
states that a pressure change occurring any-
where in a confined incompressible fluid is
transmitted throughout the fluid such that the

44pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pressure
change occurring anywhere in a con-

64pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S
Law, a principle in fluid mechanics that states that a
pressure change occurring anywhere in a confined

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS THAT STATES THAT a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid,

34pt

THE OPERATION OF THE PRESS DEPENDS ON
Pascal's Law, a principle in fluid mechanics that
states that a pressure change occurring any-
where in a confined incompressible fluid is
transmitted throughout the fluid such that the

44pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pressure
change occurring anywhere in a con-

64pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S
Law, a principle in fluid mechanics that states that a
pressure change occurring anywhere in a confined

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS THAT STATES THAT a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A

34pt

THE OPERATION OF THE PRESS DEPENDS ON
Pascal's Law, a principle in fluid mechanics that
states that a pressure change occurring any-
where in a confined incompressible fluid is
transmitted throughout the fluid such that the

44pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pres-
sure change occurring anywhere in a

64pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S
Law, a principle in fluid mechanics that states that a
pressure change occurring anywhere in a confined

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS THAT STATES that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a corresponding-ly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder.

34pt

THE OPERATION OF THE PRESS DEPENDS ON
Pascal's Law, a principle in fluid mechanics that
states that a pressure change occurring any-
where in a confined incompressible fluid is
transmitted throughout the fluid such that the

44pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pres-
sure change occurring anywhere in a

64pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S
Law, a principle in fluid mechanics that states that a
pressure change occurring anywhere in a confined

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a

28pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change oc-

36pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a con-

58pt

THE OPERATION OF THE PRESS DEPENDS
on Pascal's Law, a principle in fluid
mechanics that states that a pressure

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a

28pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same

36pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in

58pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward.

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a

28pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the

36pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere

58pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with

28pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the

36pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in

58pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure

16pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed

21pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a

28pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the

36pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere

58pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly. The distance the large piston will move is the distance that the small piston is moved divided by the ratio of the areas of the heads of the pistons. This is how energy, in the form of work in this case, is conserved and the law of conservation of energy is satisfied. Work is force

11pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced

16pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional

22pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the

44pt

THE OPERATION OF THE PRESS
depends on Pascal's Law, a
principle in fluid mechanics that
states that a pressure change

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly. The distance the large piston will move is the distance that the small piston is moved divided by the ratio of the areas of the heads of the pistons. This is how energy, in the form of work in this case, is conserved and the law of conservation of energy is satisfied. Work is force

11pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced

16pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional

22pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the

44pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly. The distance the large piston will move is the distance that the small piston is moved divided by the ratio of the areas of the heads of the pistons. This is how energy, in the form of work in this case, is conserved and the law of conservation of energy is satisfied. Work is force

11pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced

16pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional

22pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the

44pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly. The distance the large piston will move is the distance that the small piston is moved divided by the ratio of the areas of the heads of the pistons. This is how energy, in the form of work in this case, is conserved and the law of conservation of energy is satisfied. Work is force

11pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced

16pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional

22pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the

44pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE IN FLUID MECHANICS that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly. The distance the large piston will move is the distance that the small piston is moved divided by the ratio of the areas of the heads of the pistons. This is how energy, in the form of work in this case, is conserved and the law of conservation of energy is satisfied. Work is force

11pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced

16pt

THE OPERATION OF THE PRESS DEPENDS ON Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional

22pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the

44pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly.

10pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is

15pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump,

21pt

THE OPERATION OF THE press depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible

34pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move significantly.

10pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since

16pt

THE OPERATION OF THE PRESS DEPENDS on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston

22pt

THE OPERATION OF THE press depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a confined

34pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move

10pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since

16pt

THE OPERATION OF THE PRESS DE- pends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston

22pt

THE OPERATION OF THE press depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a confined

34pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance to get the large piston to move

10pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since

16pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump,

21pt

THE OPERATION OF THE press depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible

34pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a

8pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S LAW, A PRINCIPLE in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward. Since the fluid is incompressible, the volume that the small piston displaces is equal to the volume displaced by the large piston. This causes a difference in the length of displacement, which is proportional to the ratio of areas of the heads of the pistons, given that volume equals area multiplied by length. Therefore, the small piston must be moved a large distance

10pt

THE OPERATION OF THE PRESS DEPENDS ON PASCAL'S Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump, with a modest mechanical force acting on a small cross-sectional area; the other part is a piston with a larger area which generates a correspondingly large mechanical force. Only small-diameter tubing (which more easily resists pressure) is needed if the pump is separated from the press cylinder. A fluid, such as oil, is displaced when either piston is pushed inward.

15pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined incompressible fluid is transmitted throughout the fluid such that the same change occurs everywhere. One part of the system is a piston acting as a pump,

21pt

THE OPERATION OF THE press depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere in a confined in-

34pt

THE OPERATION OF THE PRESS depends on Pascal's Law, a principle in fluid mechanics that states that a pressure change occurring anywhere within a

| | |
|-----------------------|---|
| Arbitrary Fractions | 1/9 3/8 25/32 → 1⁄9 ¾ 25⁄32 |
| Superiors & Inferiors | Estuarial³ H₂O → Estuarial³ H₂O |
| Ordinals | 23 ^a 65 ^o → 23 ^a 65 ^o |
| Case-sensitive Forms | (NON-COM) «OBOE» → (NON-COM) «OBOE» |
| Standard Ligatures | Define flee official afflict ruff → Define flee official afflict ruff |
| Stylistic Set 1 | Does Junior Sousa want €2.50? → Does Junior Sousa want €2.50? |
| Stylistic Set 2 | Does Junior Sousa want €2.50? → Does Junior Sousa want €2.50? |
| Stylistic Set 3 | Does Junior Sousa want €2.50? → Does Junior Sousa want €2.50? |

| | |
|--------------------------|---|
| Uppercase | A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Æ Ø Œ Þ Á Â Ã Ä Å Ā Ă Ą ą Č Ď ě É Ê Ë Ě Ę Ğ Ġ İ Ĵ Ľ Ł Ļ Ń Ň Ñ Ó Ô Õ Ö Ő Ō Š Ř Ŗ Ś Ş Š š Ŧ Ṭ Ú Ü Ů Ű Ū Ŭ Ÿ Ŷ Ý Ž ž Ż ż |
| Lowercase | a b c d e f g h i j k l m n o p q r s t u v w x y z æ ø œ þ á â ã ä å ā ă ą ć č ď é ê ë ě ę ğ ħ í î ï ĵ ķ ľ ł ļ ŋ ñ ò ó ô õ ö ő ō š ř ŗ ś ş ș š ŧ ṭ ú ü ū Ű Ū Ŭ Ÿ Ŷ ý ž ž ż ż |
| Ligatures | f f fi fl ffi ffi |
| Figures | 0 1 2 3 4 5 6 7 8 9 \$ € £ ¥ # ¢ 0 1 2 3 4 5 6 7 8 9 \$ € £ ¥ # 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 / 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 ¼ ½ ¾ % ‰ ‰ ‰ ‰ |
| Alternates | J Sars2? \$€ |
| Punctuation & Delimiters | . , ... : ; ? ¿ ! ¡ * + = „ “ ” ’ ‘ ‚ () [] { } ~ - _ |
| Math | + − × ÷ ± = < > ≤ ≥ ∼ ° a o |
| Symbols | ↑ ↗ → ↘ ↓ ↙ ← ↘ ➡ ⤿ ¶ № @ © ® ™ |

Designed by Max Phillips

Thanks to Robert Farelly, Victor Gaultney,
Niall McCormack, and Seán Mongey.

Not all applications support OpenType
features, and not all OpenType-aware
applications support all OpenType features.
OpenType is either a registered trademark
or trademark of Microsoft Corporation
in the United States and/or other countries.

Text adapted from Wikipedia.

©2017 Signal Type Foundry Limited
Dublin, Ireland
Pressio is a trademark
of Signal Type Foundry Limited.
All rights reserved.

hello@signalfoundry.com